

Carpenter Goodwin
31 Bridge St
Leominster
Herefordshire
HR6 8DU
01568 616266
www.carpentergoodwin.co.uk

## 01717 SIP Pro F20 Floor Pillar Drill 1100w 12-speed



**Part No: 01717** 

Price: £799.99 (exc VAT) Save £582.01

(RRP £1382.00) | £959.99 (inc VAT)

## **Specifications**

01717 SIP Pro F20 Floor Pillar Drill 1100w 12-speed - 32mm Drilling Capacity (Mild Steel)

The SIP Pro F20 12-Speed 1100w 230v Floor Pillar Drill makes light work of preparing and finishing a variety of workpiece materials including ferrous and non-ferrous metals, woods and plastics.

Using an adjustable tilting table and tilt scale, it can be easily positioned to enable accurate drilling.

Plus, it's MT4 fitting allows for a larger drilling capacity.

**Features** 

12 spindle speeds powered by a 1100w motor from a 230v (13A) supply

Supports a variety of drilling applications

High-power brushless induction motor

15-08-2025 1/3

Fitted with drilling depth stop

Adjustable drill table for greater accuracy

Safety interlock switch for safe motor belt adjustment

SIP 2-Year Standard Silver Warranty

Applications & uses: Suitable for ferrous and non-ferrous metals, woods, and plastics. The MT4 fitting offers a larger drilling capacity making it perfect for pilot, blind, batch and general drilling use, heavy-duty use for larger hole drilling with engineering workshop components, plus metalwork and woodwork environments.

Supports a variety of drilling applications

A larger drilling capacity via an MT4 fitting is ideal for materials including ferrous and non-ferrous metals, hard and soft woods, and high-density plastics.

Multi-speed functionality

Allows precise control of hole sizes across the drilling spectrum.

High-power brushless induction motor

Delivers powerful performance for consistent high-quality drilling.

Intuitive features for ease-of-use

Adjustable drilling table and three-lever handle ensures smooth drilling force.

Fitted with drilling depth stop

Accurately maintains a quality of repetitive or blind hole drilling, helping to minimise material wastage.

Safety interlock switch

Allows the user to adjust the motor belt with confidence knowing the drill cannot start-up accidentally.

**Specifications** 

Input Voltage: 230v (13A)

Motor Power: 1100w

No. of Speeds: 12 speeds

Speed Range: 150rpm - 2500rpm

Drill Bit Size: 5mm - 20mm

Spindle Taper: MT4

Table Size: 420mm x 470mm

15-08-2025 2/3

Base Size: 570mm x 425mm

Column Diameter: Ø 92mm

Swing: 506mm

Height: 1720mm

Spindle Travel: 120mm

Collar Diameter: Ø 92mm

Max. Distance: 620mm (chuck to table) 1095mm (chuck to base)

15-08-2025 3/3