

05800 FX Portable Welding Fume Extractor



Part No: 05800

Price: £899.99 (exc VAT) Save £336.01

(RRP £1236.00) | £1079.99 (inc VAT)

Specifications

05800 FX Portable Welding Fume Extractor

The SIP FX Portable Welding Fume Extractor is a local exhaust ventilator (LEV) that ensures welding fumes released are properly controlled, providing protection against harmful toxic fumes.

230v input supply, 1.1kW input power

For medium and low pollutant contaminants

Intermittent operation adjustable motor speed

2500m³/hr max. flow, 1100m³/hr max. suction

Powerful 3-stage effective filtration up to 85%:

Stage 1: Metallic spark arrestors G25%

Stage 2: Cartridge filter F5 85%

Stage 3: Active carbon panel

Durable steel with powder-coated finish

Lightweight and compact for movement

Complies with current regulations

Made in Italy

Standard features:

Input Supply 230v

Input Power 1.1kW

Power Consumption 4.85A

Max. Flow Rate 2500m³/hr

Max. Suction Rate 1100m³/hr

Filtration 85%

Filter Stage 1 Metallic spark arrestors G25%

Filter Stage 2 Cartridge filter F5 85%

Filter Stage 3 Active carbon panel

Adjustable Extraction Extraction hose

Max. Temperature 60°C

Noise Level 65dB(A)

Net Weight 20.00kg

Optional Extras

**WE08-00003 Anti-Spark Metallic
Filter for 5800 Extractor Unit**



Part No:
WE08-00003
Price:
£27.29 (exc
VAT)
£32.75 (inc
VAT)

**WE08-00004 Cartridge Filter -
85% Efficient for 05800 Extractor
Unit**



Part No:
WE08-00004
Price:
£99.99 (exc
VAT)
£119.99 (inc
VAT)

**WE08-00005 Carbon Filter for
05800 Extractor Unit**



Part No:
WE08-00005
Price:
£116.69 (exc
VAT)
£140.03 (inc
VAT)