

Carpenter Goodwin
31 Bridge St
Leominster
Herefordshire
HR6 8DU
01568 616266
www.carpentergoodwin.co.uk

## 11699040 High Pressure Hot Water Washer HDS 6/12 C



Part No: 11699040

**Price:** £2400.93 (exc VAT) | £2881.12 (inc VAT)

## **Specifications**

11699040 High Pressure Hot Water Washer HDS 6/12 C

Compact hot water high pressure cleaner with eco efficiency mode and steam function

State-of-the-art compact hot water pressure washer with unique eco!efficiency mode that reduces diesel consumption by 20% without compromising daily cleaning performance.

The HDS 6/12 C also features Kärcher's unique Machine Protector system that prolongs component life and provides a 3-year burner coil warranty.

With central one-button operation, excellent mobility and superb cleaning performance the HDS 6/12 is easy to set-up, intuitive to operate and cheap to run.

Features:

Efficiency -

14-10-2025 1/3

eco!efficiency mode — economical and environmentally friendly, even during longer periods of use.

Reduces fuel consumption and CO2 emissions by 20%. Precise detergent dosing unit with rinse function.

Ease of use -

Intuitive operation with large single-button selector switch.

Large tank opening with filling chute.

System care bottle can be changed conveniently from the outside.

Storage -

Lockable accessory compartment for nozzles, tools, etc.

Storage hooks for power cord and high-pressure hose.

Integrated lance holder for easy transport.

Reliability -

The Soft Damping System (SDS) compensates for vibration and pressure peaks in the high-pressure system.

Large water filter protects pump against damage.

Water softening system protects the heating coil against calcification damage.

Mobility -

Jogger principle with large wheels and steering roller.

Large integrated handles in the chassis.

Integrated tilting aid for effortlessly negotiating obstacles such as steps and kerbs.

Save time and effort -

Fatigue-free work at last: the EASY!Force high pressure gun.

EASY!Force high-pressure gun and EASY!Lock quick-release fasteners

EASY!Lock quick-release locks: durable and robust.

And five times faster than a standard screw connection.

Specifications -

upply voltage (Ph/V/Hz) 1 / 240 / 50

Flow Rate (I/h) 240 - 560 / 9.3 Litres per minute

14-10-2025 2/3

Operating pressure (bar/MPa) 30 - 120 Bar / 3 - 12 MPa

Temperature (supply 12°C) (°C) min. 80 - max. 155

Power rating (kW) 3

Consumption fuel oil (kg/h) 3.5

Heating oil consumption, eco!efficiency (kg/h) 2.8

Power cable (m) 5

Fuel tank (I) 15

Dimensions (L x W x H) (mm) 1060 x 650 x 920

## **Optional Extras**





Part No: 41140270 Price: £165.05 (exc VAT) £198.06 (inc VAT)

14-10-2025 3/3