

Carpenter Goodwin
31 Bridge St
Leominster
Herefordshire
HR6 8DU
01568 616266
www.carpentergoodwin.co.uk

117512KR John Deere Tractor Yellow paint 5 Litre



Part No: 117512KR

Price: £61.52 (exc VAT) | £73.82 (inc VAT)

Specifications

117512KR John Deere Yellow Tractor paint 5 Litre

Kramp Part number 117512KR

Only use Kramp brand UN1263 thinners, primers and hardeners in conjunction with Kramp brand UN1263 paints.

Specifications Fast drying and high resistant synthetic paint suitable for finishing of utilitary vehicles, machines and construction elements for interior and exterior use. Excellent weathering resistance.

Benefits - Short drying time and long working life

Application - Top coat for painting commercial vehicles, machines and structures indoors and outdoors

Properties

- Highly stable
- Outstanding running qualities
- Excellent final hardness
- Stable sheen, gloss finish (DIN 67 530) >80%/60° (high-gloss)
- Compliant with solvent regulation (Austria, dated 1/1/96)

19-09-2025 1/3

- Can be stored in original container for at least 3 years

- Binder base: modified alkyd resin

- Solid content: 52 - 58 by weight -%

- Delivery viscosity (DIN 53 211): thixotrope

- Spec. weight (DIN 51 757): 0, 97 - 1, 18 kg/l

Unit Each

Capacity (I) 1 Litre

Colour Yellow

Type Synthetic resin UN1263 Paint

RAL Code RAL 1175

Specifications Fast drying and high resistant synthetic paint suitable for finishing of utilitary vehicles, machines and construction elements for interior and exterior use. Excellent weathering resistance.

Benefits - Short drying time and long working life

Application - Top coat for painting commercial vehicles, machines and structures indoors and outdoors

Properties

- Highly stable
- Outstanding running qualities
- Excellent final hardness
- Stable sheen, gloss finish (DIN 67 530) >80%/60° (high-gloss)
- Compliant with solvent regulation (Austria, dated 1/1/96)
- Can be stored in original container for at least 3 years
- Binder base: modified alkyd resin
- Solid content: 52 58 by weight -%
- Delivery viscosity (DIN 53 211): thixotrope
- Spec. weight (DIN 51 757): 0, 97 1, 18 kg/l

Unit Each

Capacity (I) 5 Litre

Colour Yellow

19-09-2025 2/3

Type Synthetic resin UN1263 Paint

19-09-2025 3/3