

D045D117 Exol Anti-freeze Yellow 50% pre-Diluted



Part No: D045D117

Price: £49.95 (exc VAT) | £59.94 (inc VAT)

Specifications

D045D117 Exol Anti-freeze Yellow 50% pre-Diluted

Monoethylene glycol-based OAT antifreeze

Opticool Antifreeze Yellow 50% is an ethylene glycol-based, pre diluted engine coolant using an Organic Acid

Inhibitor Technology that is free from nitrites, amines, phosphates, borates and silicates.

It is BTC Classification Type 4E.

Fleet trials have shown that coolants based on Organic Acid Inhibitor Technology continue to provide effective

corrosion protection for up to 250,000km for passenger cars and 500,000 km in commercial vehicles.

It is recommended that the coolant is replaced when the above mileages have been reached or after 5 years.

Opticool Antifreeze Yellow 50% provides excellent protection to engine cooling systems, whether they are predominantly of

ferrous or aluminium construction.

Application:

Opticool Antifreeze Yellow 50% is suitable for all year-round usage in automotive and commercial Petrol and Diesel engines and certain industrial applications.

Product Specification:

Opticool Antifreeze Yellow meets the requirements of the following European & international standards:

ASTM D 3306 ASTM D 4985 SAE J 1034 BS 6580: 2010 JIS K 2234 *

AFNOR NF R15-601 * FFV Heft R443 CUNA NC 956-16 UNE 26361-88 NATO S 759

* with the exception of reserve alkalinity

Opticool Antifreeze Yellow meets the requirements of the following OEM specifications:

Volvo VCS Coolant Chrysler MS 9176 Cummins 85T8-2 & 90T8-4

Leyland Trucks LTS 22 AF 10 Mack 014GS 17004 MAN 248, 324 (SNF) & B&W D 36 5600

Mercedes MB 325.3 Renault 41-01-001 VAG TL 774 D/F

GM 1899 M, US 6277 M & OPEL GM QL130100 John Deere H 24 B1 & C1

MTU MTL 5048 Ford ESE M97B49-A, WSS-M97B44-D & ESD M97B49-A