

SUPERSTART200DB 12/24V Starter 200A/Automatic Battery Charger



Part No: SUPERSTART200DB

Price: £229.95 (exc VAT) Save £120.00

(RRP £349.95) | £275.94 (inc VAT)

Specifications

SUPERSTART200DB 12/24V Starter 200A/Automatic Battery Charger

Please note that this is a service exchange item - some items may not have the original packing and may be shop soiled and / or have some cosmetic damage including dents or scratches.

****Shop Collection or only available for delivery to the following local Postcodes HR, WR, SY & LD.****

If you are interested in this product and are outside of our local Van delivery area, please enquire with our Sales Staff on 01568 616266 or by email at sales@carpentergoodwin.co.uk for Courier delivery rates if you have a UK Mainland delivery address only, for this product.

- Automatic battery charger and starter - designed for charging, and boosting a variety of agm

(stop/start), gel, lead acid and lithium batteries up to 600ah.

- Intuitive - digital display and 200a peak engine start function, makes this unit ideal for every workshop.
- Safety features - overcharge, short circuit, and reverse polarity protection.
- Dedicated charging programmes - suitable for agm, gel, conventional lead acid and lithium batteries with fully automated charging algorithms.
- Multiple charging programmes - three charging rates for both 12v and 24v systems.
- Portable design - portable design with handle means you can easily manoeuvre the unit around the workshop.

Specifications:

Output: 12/24v

Zero voltage charging: no

Battery support/dc supply mode: no

Supply current: 13a

Supply voltage: 230v ~ 50hz 13a (max)

Plug type: 3-pin

Power supply cable length: 1.9m

Cable & clamp length: 2m

Charger type: traditional (t) or intelligent (hf): hf

Battery range: 10ah - 600ah

Max. size battery (ah) full charge in 12hrs from discharged: 600ah

Output charge peak: 60a - 12v, 30a - 24v

Output charge rates: 12v - 60a, 30a, 10a 24v - 30a, 15a, 5a 12v 10a lifepo4

Start peak: 200a (12v only) (5s on, 180 off)

Battery type: gel, agm, std, lithium (12v only), leisure

Working temp: (-10°C - 40°C)

Housing protection: ip20

Max charging volts 12v (24v) lead acid batteries: agm, 14.7v (29.4v), gel, 14.1v (28.2v), std, 14.4v (28.8v)

Max charging volts 12v lifep04: 14.5v