

## VPB8024 Ford Short Motor BSD333 VPB8024



**Part No:** VPB8024

**Price:** £3263.11 (exc VAT) | £3915.73 (inc VAT)

### Specifications

VPB8024 Ford 3 cylinder Short Engine Vapormatic BSD333 Lip Seal type Engine

Assembly contains VLB4249 Penetrating oil

Built-up Engine assembly contains these parts:

VPA2500 Camshaft x 1

VPA2600 Camshaft follower x 6

VPA3925 Engine Block Dowel x 2

VPB2540 Piston x 3

VPB4540 Piston Ring set x 3

VPB6003 Connecting Rod x 3

VPC1042 Crankshaft assembly x 1

VPC2100 Conrod bearing set x 1

VPC3100 Main bearing set x 1

VPD1100 Oil pump x 1

VPD1502 oil pump shaft x 1

Product information & Technical specification:

- Engine Type: BSD333
- Bore: 111.778mm
- Stroke: 111.778mm
- Cylinders: 3
- Cylinder head bolt size: 9/16" UNC

Typical applications:

• Direct replacement, BSD333: The all new block is manufactured exclusively for Vapormatic, using the very latest "lost-foam" casting technique.

21st century foundry processes and metallurgical specification deliver a high degree of accuracy and an excellent surface finish, both internally and externally.

Product information & Technical specification:

- Engine Type: BSD333
- Bore: 111.778mm
- Stroke: 111.778mm
- Cylinders: 3
- Cylinder head bolt size: 9/16" UNC

Typical applications:

- Direct replacement, BSD333: 4000, 4600, 4610, 4130, 4330, 4630
- Also replaces, BSD326, BSD329, BSD330 & BSD332 - 2000, 3000, 2600, 3600, 3900, 4100, 2310, 2610, 2810, 2910, 4110, 3230, 3430, 3930.

Earlier specification engines with ½" UNC thread cylinder head bolts will also require cylinder head bolt kit VPA3913 and VPA5083 timing cover kit bolt kits to complete installation of the New Short Motor.

You will need the following additional items:

- Cylinder head gasket: VPA4301

- Cylinder head gasket set: VPA4101
- Bottom gasket set: VPC6105
- Oil pump is included and must be fitted.
- Also replaces, BSD326, BSD329, BSD330 & BSD332 - 2000, 3000, 2600, 3600, 3900, 4100, 2310, 2610, 2810, 2910, 4110, 3230, 3430, 3930.

Earlier specification engines with ½" UNC thread cylinder head bolts will also require cylinder head bolt kit VPA3913 and VPA5083 timing cover kit bolt kits to complete installation of the New Short Motor.

You will need the following additional items:

- Cylinder head gasket: VPA4301
- Cylinder head gasket set: VPA4101
- Bottom gasket set: VPC6105
- Oil pump is included and must be fitted.

OEM: E6NN6009BAA, 83956400, E7NN6010BA, E2NN6010BD, E5NN6010AA, 83956288, BSD333